



WYLD TECHNOTES: JavaClient / Cataloging / 2009

Java Client Property Settings for Call Number and Item Maintenance wizard

Example 1




When properties are set as demonstrated above, an auto-generated xx call number and an auto-generated barcode are assigned. The result of these property settings is displayed below.




Both call number and item information can be edited at the same time. Enter the new item ID last so all changes to call number and to other item information will be saved after the new barcode has been scanned.


Example 2




When properties are set as demonstrated above, an auto-generated xx call number is assigned. Because an auto-generated barcode was not requested, an empty item ID datawell is provided instead. This option is displayed below. As with the first example, both call number and item information can be edited at the same time. Enter the item ID last so all changes to call number and to other item information will be saved after the new barcode has been scanned.




Example 3




When properties are set as demonstrated above, an auto-generated xx call number is assigned. Because both the “Add item when adding a new call number” and “Auto-generate item ID when adding item” options are not checked, no datawell for the barcode is provided as demonstrated below. The Add Item button would have to be used to display the item information template with empty item ID datawell. This requires an additional step that is not required in Examples 1 and 2.




Example 4




When properties are set as demonstrated above, an auto-generated xx call number is assigned. No datawell for the barcode is provided as demonstrated below. The Add Item button would have to be used to display the item information template with auto-generated barcode. This requires an additional step that is not required in Examples 1 and 2.




Example 5



When properties are set as demonstrated above, an auto-generated xx call number is *not* assigned. The system will use whatever call number was highlighted on the left when the Add Call Number button was clicked. In this example, the first call number on the left became the default for the new call number record. An empty datawell is provided for the item barcode. As with the first two examples, both call number and item information can be edited at the same time. Enter the new item ID last so all changes to call number and to other item information will be saved after the new barcode has been scanned.



Example 6



If the Add call number behavior is checked, either the “Auto-generated temporary xx call numbers” option or the “Add item when adding a new call number” option must also be selected.